

Kootenay Filter

 kootenayfilter.com/product/kfi-425-bayonette-style-flange-not-included/



KFI 425 Bayonette Style – Flange Not Included

Carbon: Granulated Virgin Activated Carbon

Prefilter installed: Yes

Replacement Prefilter SKU: PF425

CFM/M3 Ratings:

Max Exhaust CFM – 125

Max Recirculate CFM – 250

Max Exhaust M3 – 212

Max Recirculating M3 – 425

Category: [Green Line Filters](#)

SKU:	GL425	
Carbon:	Granulated Virgin Activated Carbon	
Prefilter Installed:	Yes	
Replacement Prefilter SKU:	PF425S	
Measurements and Weights:	Imperial	Metric
Outside Diameter:	5.7"	14.5cm
Lengths:	23.6"	60cm
Total Weight:	4.9lbs	2.2kg
Carbon Weight:	3.5lbs	1.6kg
Carbon Bed:	1.0"	2.5cm
Max Operating Temperature:	176F	80°C
Minimum Recommended Airflow:	62CFM	
Bayonette Style Flange Possible: (Sold Separately)	4"	5"
Flange SKU:	FL4PL	FL5PL
Possible Fan Combinations:	Exhaust	Recirculating
	Renegade CF 4 Renegade EC Pro 4	Renegade CF 4 Renegade CF 6 Renegade EC Pro 4

The Green Line is Kootenay Filter Inc.'s Lightweight Filter Line. KFI is proud to have a product that uses only virgin activated carbon made from renewable resources. The proven design, manufacturing process and a production staff with years of experience make our product one of the best filters on the market. Our Light line filters are available with flange sizes 4"-14" rated for 3250cfm. Our filters consist of only 2 things, steel and carbon; they are effective and robust.

Green Line Filters

- Virgin activated carbon made from renewable resources
- Dedusted and screened
- Lightweight filter
- Max operating temperature 80°C / 176°F

- Max allowed humidity 70% (short term only)
- Prefilter installed
- Robust galvanized steel housing
- Single packaged and sealed for storage
- Made in North America
- 2" carbon bed
- Flanges installed from 4" to 14"

